





Always Striving.




Mein

The IP/IS Series
Interconnected
Lock is a new
addition to our
contemporary locks.
They are designed
to fit with ADA
requirements.




200B Series ANSI Grade 3 Certified Deadbolt

(ANSI/BHMA A156.5-2001) for Auxiliary Lock and Associated Products Product meets and exceeds ANSI Grade 3 requirements for auxiliary locks



500T Series ANSI Grade 3 Certified Leverset (ANSI/BHMA A156.2-2003) for bored & preassembled locks & latches Product meets and exceeds ANSI Grade 3 requirements for single-point locks and latches



Contemborary


HANDLESET


KELLINGTON AM SERIES LEVER















AUSTIN (AT) US26

FINISHES



US15 Satin Nickel



US26 Polish Chrome



US26D Satin Chrome (Soho & Deadbolt only)

ANSI Grade 3

5-1/2" CTC **INTERCONNECTED LOCK**

NEW!




200LT DEADBOLT






LTR US26







LTS US26





SPECIFICATIONS

Cylinder

Latch

Strike

ADA

Door Handing

Door Prep 2-1/8" cross bore, 1" edge bore. Door Fitting

Handleset: 1-3/8"~1-3/4", 2" door with thick door kit.

Deadbolt/Lever 1-3/8"~2".

KW1 standard, SC1 optional. 2-3/8" and 2-3/4" adjustable.

UL latch for IS/IP series.

Deadbolt: 1" throw. Latch Bolt

Lever: 1/2" throw.

2-1/4" full lip round corner.

Handleset/Privacy Lever: handed (specify LH or RH when ordering). Deadbolt Interior turn piece & Privacy Lever with Push Button.

Meets 4.13.9 ADA requirements.

Interconnected_

ENTRANCE HANDLESETS





ANSI Grade 3

500TB SERIES LEVERSETS





Interconnected_

IL SERIES






300IL-SD San Diego (SD) Lever US15



301IL-CT Charlotte (CT) Lever US15



300IL-RY Royal (RY) Lever US15






Mounting without Exterior Escutcheon Plate

ANSI Grade 2

IZ SERIES











301IZ-CT-US15







Handlesets & Peners_

400 SERIES HANDLESETS



Soot Series Locksets





100T SERIES LOCKSETS













ESCUTCHEON PLATE 5" CENTER TO CENTER



US3





200B SERIES









SINGLE CYLINDER US3


DOUBLE CYLINDER US3

ONE SIDED (Full Bore) ONE SIDED (Half Bore) US32D

US32D



DOOR LOCK





Passage



US15 **Privacy**

SPECIFICATIONS

Door Prep Door Fitting **Exposed Trim** Strike

2-3/8" fixed

2-1/4" H x 1-3/4" W notch. 1-3/8" ~ 1-3/4" door thick. Brass, stainless steel, or zinc alloy. 1" x 2-1/4" rectangular.









US15 Privacy

2-3/8" Fits 2-1/8" cross bore backset latch

FINISHES



Lifetime



Polish Brass





US10B Antique Brass Oil Rubbed Bronze Tuscany Bronze



US12P



US15 Satin Nickel



Pewter



US26 **Polish Chrome**

Not all styles available in all finishes. See finish chart on page 12 for details.



AVAILABILITY

SERIES	ITEM	Abbrev	PVD	US3	US5	US10B	US12P	US15	US15A	US26	US26D	US32E
			505	605	609	613		619	620	625	626	630
Interconnected Handle	eset and Solid Brass	Levers										
400	CHATEAU	(CH)	•			•	•	•	•	•		
Interconnected	FAIRMONT	(FT)	•			•	•	•				
	HAMPTON	(HA)	•			•	•	•	•	•		
	RICHMOND	(RI)	•			•	•	•	•	•		
500TB	FASCINITE	(FE)		•		•		•	•	•		
Solid Brass	HARTFORD	(HD)		•		•	•	•	•	•		
	LAFAYETTE	(LA)		•		•		•	•	•		
	VENEZIA	(VA)		•		•	•	•	•	•		
Handleset, Interconne			t and Coml	oo Pack								
400 2PC Type	IMPERIAL	(IM)	•	•	•	•	•	•	•	•		
	KELLINGTON	(KN)				•	•	•		•		
	MAYFAIR	(MA)				•	•	•	•			
500T	CAMBER	(CM)					•	•				
	ESCORT	(ET)		•	•	•				•		
	JURAN	(JU)		•		•	•	•	•	•		
	MANHATTAN	(MH)		•	•	•	•	•	•	•		
	PALMER	(PA)		•		•	•	•	•	•		
	ROYAL	(RY)	•	•	•	•	•	•	•	•		
	SHELBY	(SY)					•	•				
300IL 4"CTC		` '		•		•		•				
300IZ 5-1/2CTC								•				
200B	DEADBOLT		•	•	•	•	•	•	•	•	•	•
100T	BALA	(BA)		•	•	•	•		•	•		•
	GUARDIAN	(GN)		•	•							•
	OLYMPUS	(OS)		•	•	•	•		•	•		•
	RUBY	(RB)		•		•	•	•	•	•		
300T/310T Combo		` ′		•	•							•
Contemporary Interco	nnected Lock, Levers	and Deadbo	lt									
500AM	AUSTIN	(AT)						•		•		
Contemporary	HOLLYWOOD	(HW)						•		•		
	SOHO	(SH)						•		•	•	
301IP 5-1/2" CTC		<u> </u>						•		•	_	
301IS 5-1/2" CTC								•		•		
200TS	DEADBOLT							•		•		
200TR	DEADBOLT							•		•		


[•] Product avaiable in stock. Please refer to price book for details. Other finishes may be available upon request. Please allow longer lead time, min. 300 lock order.

SC₅



HK5

TE5



HK6

SC6

9301-S SC1 & SC4

oppssonies

Dead Latches for 100T Entrance

Optional: 9071 square corner



9073

Mortise Dead Latch 2-3/8" or 2-3/4" adjustable backset 1" x 2-1/4" Round Corner Faceplate



9075

Drive-in Dead Latch 2-3/8" or 2-3/4" adjustable backset 1" Diameter

Dead latch drive-in cap for converting mortise latch to Drive-in Latch

Spring Latches for 101T, 102T, 501TZ, 502TZ Optional: 9072 square corner



9074

Mortise Spring Latch 2-3/8" or 2-3/4" adjustable backset 1" x 2-1/4" Round Corner Faceplate



9076

Drive-in Spring Latch 2-3/8" or 2-3/4" adjustable backset Diameter

Spring latch drive-in cap for converting mortise latch to Drive-in Latch

Dead Latches for 500TZ Entrance

Optional: 9045 square corner



9045R

Mortise Dead Latch 2-3/8" or 2-3/4" adjustable backset 1" x 2-1/4" Round Corner Faceplate



9045C

Drive-in Dead Latch 2-3/8" or 2-3/4" adjustable backset

Dead latch drive-in cap for converting mortise latch to Drive-in Latch

Dead Latches for 500TB Entrance

Optional: 9050 square corner 9050UL UL square corner 9050RUL UL round corner



9050R

Mortise Dead Latch (Brass Bolt) 2-3/8" or 2-3/4" adjustable backset 1" x 2-1/4" Round Corner Faceplate




9050C

Drive-in Dead Latch (Brass Bolt) 2-3/8" or 2-3/4" adjustable backset 1" Diameter

Spring Latches for 400 Interconnected Handleset (RI/CH/HA/FT), 501TB, 502TB, and 400 Handleset (MA/IM/KN) with Solid Brass lever (VA/HD/FE/LA)

Optional: 9079 square corner 9079UL UL square corner 9079RUL UL round corner



9079R

Mortise Spring Latch (Brass Bolt) 2-3/8" or 2-3/4" adjustable backset 1" x 2-1/4" Round Corner Faceplate



D927

9079C

Drive-in Spring Latch 2-3/8" or 2-3/4" adjustable backset 1" Diameter

Spring latch drive-in cap for converting mortise latch to Drive-in Latch

Latches for 200B

Optional: 9091 square corner 9091UL UL square corner 9092UL UL round corner



9092

Mortise Deadbolt Latch 2-3/8" or 2-3/4" adjustable backset 1" x 2-1/4" Round Corner Faceplate




9093

Drive-in Deadbolt Latch 2-3/8" or 2-3/4" adjustable backset 1" Diameter

Deadbolt latch drive-in cap for converting mortise latch to Drive-in Latch

Spring Latches for 400 Handleset (MA/IM/CA/KN)

Optional: 9080 square corner 9080UL UL square corner 9080RUL UL round corner



Spring Latches for AM Series (SH/HW/AT)

Optional: G90A3T square corner



G90A3R

Mortise Spring Latch 2-3/8" or 2-3/4" adjustable backset 1" x 2-1/4" Round Corner Faceplate



G90A3C

Drive-in Spring Latch 2-3/8" or 2-3/4" adjustable backset

D927

Spring latch drive-in cap for converting mortise latch to Drive-in Latch


Parts



9782

4-way plate is available for converting drive-in latch to 1" x 2-1/4" square mortise latch.





400 Series Handleset - ANSI A156.2, Series 4000, Grade 3


400 Single Cylinder Handleset
Deadbolt thrown or retracted by key from outside or by inside turnpiece. Latch retracted by thumbpiece from outside or by inside knob/lever.

400 Single Cylinder Interconnected Handleset (ANSI F102)
Deadbolt thrown or retracted by key from outside or by inside turnpiece. Latch retracted by thumbpiece from outside or by inside knob/lever. Both deadbolt and latch bolt are retracted to unlocked position by operating inside lever.

410 Double Cylinder Handleset

Deadbolt thrown or retracted by key from either side. Latch retracted by thumbpiece from outside or by inside knob/lever.

For use as door pull or as dummy trim on inactive leaf of double door. Fixed thumbpiece and inside knob/lever. Dummy cylinder with inside plate.



500T Series Lever Lock - ANSI A156.2, Series 4000, Grade 3

500T EntranceTurn button lock/unlock outside lever. Key lock/unlock from outside.

500TP Entrance (Push Button)Push inside button locks outside lever. Key lock/unlock from outside. Unlock by push down inside lever.

501T PassageBoth levers always unlocked.

502T PrivacyTurn inside button locks outside lever. Can be opened from outside using outside turn mechanism.

502TP Privacy (Push Button)Turn inside button locks outside lever. Can be opened from outside using outside turn mechanism. Unlock by push down inside lever.

Dummy trim for one side on door. Used for door pull or matching inactive trim.



100T Series Knob Lock – ANSI A156.2, Series 4000, Grade 3

•••• 100T

100T Entrance

Turn button lock/unlock outside knob. Key lock/unlock from outside.

101T

101T Passage

Both knobs always unlocked.

□ • 102T

Turn inside button locks outside knob. Can be opened from outside using outside turn mechanism.

115T

Dummy trim for one side on door. Used for door pull or matching inactive trim.



200 Series Deadbolt Lock – ANSI A156.36, Grade 3

200 Single Cylinder 210 Double Cylinder

Deadbolt thrown or retracted by key from outside or by inside turnpiece.

205

Deadbolt thrown or retracted by key from either side.

205 One-sided Half-Bore Deadbolt thrown or retracted by thumbpiece from inside.

206

Deadbolt thrown or retracted by thumbpiece from inside. Cover plate outside.

301 300 304

300 Series Interconnected Locks – ANSI A156.12, Grade 3

301 Entrance Single Locking, ANSI F95Latch bolt operated by lever from either side. Deadbolt operated by turn from inside or key from outside. Operating inside lever retracted both deadbolt and latch bolt.

300 Entrance Double Locking, ANSI F97

Deadbolt operated by key from outside or by turnpiece inside. Deadlatch is locked by key from outside or by push button from inside. Turn inside lever to release deadbolt and latchbolt simultaneously for immediate exit. Latch deadlocks when door is closed.

304 Storeroom Double Locking, ANSI F98

Deadbolt operated by key from outside or by tumpiece inside. Outside lever is fixed, entrance by key only. Turn inside lever to release deadbolt and latchbolt simultaneously for immediate exit. Latch deadlocks when door is closed.





Philadelphia Hardware Group Inc.